Receiving Report

Dat	- / VI	-	Batch	No:	0)44	
Su	pplier: THY6661		Dart F	P/O:	16666	
Packing Slip: Invoice: Receipt:	Yes / No Yes _ No Cash _ Cr	W St Q	elease Note A aybill Attache nipment Comp C6 Inspection fork Order	d: Ye olete: Ye	s No	
Discrepancies Part	Description	Quantity Ordered	Quantity Received	Quantity Returned	Quantity Short	Comments
Number		Ja	11.	6	10.	
M ZyR	9375	/2	<u>U</u>		PL.	
Mahl	76 81. SWX O.D	10004	0 0		29	
7	: 1					
		Initial	s of receiver	(if shipment	OK) Level	12/1_
Production/Ad Date Received/Cos Initial	[2/4]				Locat	ion
					•	

H:\FORMS\Purchasing\approved purch\RECF =PORT Rev D

Purchase Order Receipt Listing

Thursday, April 19, 2012 1:11:04 PM

All amounts are calculated in domestic currency.

Page 1 of 1

All Vendors PO ID PO16666 Receipt Dates from 4/19/2012 to 4/19/2012 All Item ID/GL/WOs All Rec. Employees All Currencies Grouped by Vendor ID All Line Item Types

24.0000 0.0000 0.0000 \$840.04	· · · · · · · · · · · · · · · · · · ·	Quantity: PO U/M): Quantity: pt Value:	Total Received Quantity: Total Qty to Inspect (PO U/M): Total Reject Quantity: Total Receipt Value:	Total					i,		
	0	j.	0.0000	\$840.04	2×13/10"	24.0000 DESJ02	24.(1.250 x f	17-4 SS Bar 1.250 x f 2.00 121449	o N	CAD
\$840.04	0	_	0.0000	\$35.00	24.0000	4/13/2012 4/19/2012		Thyssenkrupp Materials CA Ltd .50X02.000 f	VC-COP001 Thyssenkr M174B1.250X02.000 f	lor Name 9	VendorID\Vendor Name PO16666 9
Book Amt	B Qty/ Reject Qty	MRB Reject Oty Oty	Inspected Qty/ Rejected Qty (PO U/M)	Cost Per Unit/ Recv Value	Recv Qty (PO U/M)	Oate Recv Oty Date/ Recv Emp	Required Date Required Qty	PO U/M / Stock U/M	Project ID Reterence/ Description/ Cert Std	Line P Nbr/ Insp Req	Purchase Order ID/ Curr Type

982

Sal

982

MF PBR

HAWKESBURY, Keb 1K7 NO HAWKESBURY, ON K6A 1K7 ISYO ABERDEEN ST JSV0 ABERDEEN ST DART AEROSPACE DART AEROSPACE (STTOZ) :oI blos :oI qid2 STAN IVERS (905-532-1350) dIS Trailer Ληςτε O Manifest Войсе -0 PREPAID Frt Tel: 905 669 9444 Fax: 9057389033 CONCORD LOB CONCORD, OIXATNO VIM TRANSFER VIA **S831 PYMCSLYFF ROAD** Probill THYSSENKRUPP MATERIALS NA 18Aprl2 at 14:12 From PFW Ship Date Ship From: **DEC 183023** ON PNING BILL H O

: JATOT

7 74 FT 84089 848822 Xatauen δ on pel' Heat Number 1.250 X 2.00 X 144.000" STAINLESS STEEL FLAT BAR 17-4 9999T # J Konk PO T) ORE ORGED BEG-#38610-T Y D I M G O. Fu BIPP

Tags

z

BGS

MITT LEST REPORTS, PACKING SLIPS ARE TO SENT ADD ON TO 438860 SUR-CHARGE PAID

ATTN: CHANTAL/LINDA LO SHIBBING WITH MATERIAL AND FAXED TO THE CUSTOMER PRIOR

Tel: 613-632-9577 Fax: 613-632-1053

** KELEKENCED ON IL ** ** ALL PACKING SLIPS MUST HAVE THE HEAT NUMBER

TOTAL G.W 1 BDL 250 LBS

**** LET' 800-979-7000 **** Mq 00:4 OT MA 00:9 CONCORD, ONT.* * * * *CUSTOMER PICK-UP HRS AT THYSSENKRUPP MATERIALS UA

PLEASE LET US QUOTE YOUR NEXT REQUIREMENT ME SLOCK SLYINDESS SLEED **********************************

ADDED TO EVERY ORDER.*** *** PLEASE NOTE A \$25.00 ENERGY SURCHARGE WILL BE *******************

l Last ъsde:

MERCHANDISE MAY NOT BE RETURNED WITHOUT OUR APPROVAL NUMBER. RETOUR DE MARCHANDISES AVEC NOTRE NUMERO D'APPROBATION SEULEMENT. ERRORS OR SHORTAGE MUST BE REPORTED IMMEDIATELY RAPPORTEES IMMEDIATEMENT. TOUTES ERREURS ET/OU MARCHANDISES MANQUANTES DOIVENT ÉTRE

DATE

TVQ/QST# 1017327981 TQ001 TPS/GST TVH/HST # 140223934 RT0001 REÇU EN BONNE CONDITIONS / RECEIVED IN GOOD CONDITION

S.) 424 HB Austenitic grain size: 5 2.) Reference sample - H 900. 35'8 HBC 1.) Solution annealed 1°) 352 HB неат скеатмент Randness Impact valve [J] 5,52 2'19 Reduction of Area Β'ετ 71,2 ₽₽¥ grondstron Smm\N BOPE 96TT Lensite strength Smm\N O, IqA 18 Point Snm\N SEET OTTT S,003R Yield Point 1 2 ыкоре ик.: Mechanical Values: 00TZ'0 BN 3,0600 no 0,0240 ВB 6,0033 $\mathbf{I}\mathbf{I}$ 00010 ON: Λ 4'4300 IN 12,2600 CK 0100 '0 0.0220 ď 0,6200 NH 009110 78 092010 228848 Cast ON. Chemical Composition & Weikaloff-Normbasaichw Standaid Grada of Maleital Morme, de steise Werketoff-Nr. klateriat-No. Ho. du matère 16-4 I7-4. X 2 CK MI CO MB 7 ' 424S τ 970 45 E 1.1/4×2" 0010 \$006ST кОура sqt/5x Distonation Jan.oh offek - franket - offers 1pisw ebioq mm gauesemdA exi2 Audraga-Nr. destaller / Customer / Achelour (MEE) napacieus de contole de sécapion Bostell-Nr.
Your Order-No.
No. de Commande
Herstellerzolchen
Sigle de L'usine
Sigle de L'usine nev 60188-1828Chicago Carol Stream TelganlussdemdandA nadoleZ / TCI-L31590-sto 070717000 Attn.: Mill Direct 365 Village Drive TON 8.07.2011 23013 0100 .oul Asu Schmolz+81ckenbach Weizweike Eineal Unifil - Forthach 20 - Sayes Nachiadi Avest. PAGE: according DIN EN 10204 Inspection Certificate 3.1 EINSAL GNEIN WALZWEIFE 010608084M MARBIISH T-198868 Item:FB63CA01160200 Bundle:WA80309010 Heat#:228848 MTR#:WARB1154.GIF Customer: COPCON PO#:PEC-238264 SO#:PM3671

dent notenemid Test of Identity

.qeni leveiV

Eeldmann

notosuturedemits ndA notoses as to revevue notices as actures et metoseani

Ouall(atsaloke Walzwerke Finsal AmbH

Ends.

นอยียนรั

onsizuz nemizibilizienes zut de senzibizene eur da de senzibilize de senzibilize

in the delivered cond.

45'I HUC

Nach DIN EN ISO 3651-2 ist det Werkstoff interkristellin beståndig scoording DIN EN ISO 3651-2 inaldidet statslant against intercryat, corrosion edon DIN EN ISO 3651-2 is maldidet est desistant à la corrosion infercritatiline

Macro and micro test: Satisfactory

Mercury: No confamination.

Telefon 023 52 332-0 · Telefox 023 52 3321 92

Delta-Ferrit: 1,5%

100

Item:FB63CA01160200 Bundle:WA80309010 Heat#:228848

SSII STAMM

MTR#:WARB1155.GIF

Ţ

(MEE)

inexnA vibreuD eidineM

925

Inspecteur de contrôte de récepbon

Zelchen Abnehmerbeauflusgler notoseen to toverve

STOWA

1105.70.8

SOI/BX



EINSAL GMBH WALZWERKE

DEKIGNE: DE 153 841 352

Watzverke Einest Grobh - Postfach 20 - 59766 Machiodt (Westl.)

schmolz+Bickenbach usA Inc.

365 Village Drive Abean: Mill Direct

NSA 60188-1828Chicago Carol Stream

1.1/4x2" OOTO \$006ST Sise Dimension 108.011

gnunniasedmioM-HotekieW EnereM to ebarb bisboald oistem ob emioM

mm BrussemdA

Heretellerzeichen Syngolof Mandactuers Sige de Lusine

Sestell-Nr. Your Order-No. Wo, de Commande

(ON) (ON)

A 484/A484 M-06 b

14542 X 5 CR NI CU NB 16-4

DIN 10058£07.9cc. MTSA Steel bars hot rolled

7 . 4542

brckred solution annealed

Melanal-No.

Werkstoff-Nr.

Authoga-Mr.

stamping: AISI/EW/HEAT-NO/WEE syorf lengths from 3050 mm (from 10.) <10 straightened

bundled, otherwise unpacked certific.:Din EN 10204/3.1 marks: 1 stirnseite silber

asmbje cond. h 900 Cond. A max. 38 HRC, max. 363 HB, with reference ASME SA 564 NO7, finish: solution annealed ACC. to ASTM ASGA(NSS64 MIO, AMS 5643 Q, AMS 2303 C

сописку от мапигастиге: Серману

8 (0,0 > sT Country of melt: Germany

Ferrite_content:max.5% мах. 38HRC, щах. 363HB lösungsgegl. Ausführung: Cond. A 3658-4267(12,-14,)

GUSTANIBUS Hampy Walzwerke Einsal

X 2 CB NI CO NB 16-4 17-4. PH

23013 0100

sccorging DIN EN 10204 Inspection Certificate 3.1

150

Biar.

Brutto - Gewicht - Netto

O1D11-060 \ TCI-L31590-sto

(qn) (oi)

Abnahmebaaulikegier Suveyot ol frapoceon Arspecteu de noorde de récepilon

Aniagon Encla, notibroo basilizas ent ni solibroo basilizas ent ni selizitanes tab as

in the delivered con on 51st Evision

Es wird bestäligt, dess die Lofentung den Andordenungen in Dickreustasst der angescharten Liederbedingungen enkepticht.

The delivery conceptond our experient menbonsed.

Das Zeugnis zwurde maschkriell ersbellt und ist gernäß

EM 10204 ohne Unierechtift rechtsverbinglich

EM 20204 ohne unabhälbind by machine and acc. to EM 10204 il is legal wilbout signature.

Le conficent a die drabit is in machine of seen te acc. to EM 10204 il is legal wilbout signature.

Le conficent a die drabit is in machine and acc. to EM 10204 il is legal wilbout signature. Nach DIN EN ISO 3631-2 let der Werkeloll Inforkristallin beständer and DIN EN ISO 3631-2 let matidan ist resistent apalmal interchaft contrador selon DIN EN ISO 3691-2 le matidan ist resistent à la corteston interchalaire

Yelsfon 02352 3320 - Yelsfak 02352 332192

PURCHASE ORDER

Purchase Order ID PO16666

Tel: 613 632 9577 Hawkesbury, ON K6A 1K7 1270 Aberdeen Street

Fax: 613 632 1053



PO Print Date 4/10/12 Purchase Order Date 4/10/12

Page Number 1 of 3

VC-COP001

1570 ABERDEEN

ТОКОИТО, ОИ М5W 5V8 O/A VPK METAL- C/O T27540/PO BOX 4275,POSTAL"A" THYSSENKRUPP MATERIALS CA LTD

Contact Name

Vendor Phone

Vendor Fax

CA

Order From:

Vendor Account Ubr

: oT qid&

Destination-Collect

CAD

Net 30

10127-2607

Chantal Lavoie

CANADA HYMKESBURY, ON K6A 1K7

Unit Price

0052.18

\$5.8000

QJE/T/W

Red Oty/ Ship Method

Yours ppd

00.09 _

Taxable Unit of Measure Red Date/

EOB

Currency

Tax Resale Nbr

Requisition Nbr

Terms

Buyer

7/13/15

303 HEX BAR .500

ai gim

Description

Vendor Part Number Revision ID

002.0HE0EM

Line Abr Reference

DART AEROSPACE LTD

EE06 8EL 506

₽₽₽6 699 \$06

MATERIAL: AISI 303 SS HEX BAR AS Special Inst:

Yes

NOTE: AISI 304/316 NOT ACCEPTABLE **PER SATM A582**

Yes

71/21/5

ROUND BAR

304 ROUND BAR 0.375

M304R0.375

Special Inst:

MATERIAL: MATERIAL: 304/316 SS

AS PER ASTM A276

NOTE: AISI 303 NOT ACCEPTABLE

Χes 24.00 4/13/15

304 KOUND BAR 0.4375

M304R0.4375

Special Inst: MATERIAL: MATERIAL: 304/316 SS

ROUND BAR

AS PER ASTM A276

NOTE: AISI 303 NOT ACCEPTABLE

No substitution or deviation without

00.05\$

00.50\$

09.55\$

Price

Extended

Certification required when applicable Certificate of Conformity or Material

Change Date: 71/01/17

Change Abr:

PURCHASE ORDER

Purchase Order ID PO16666

Fax: 613 632 1053 Tel: 613 632 9577 Hawkesbury, ON K6A 1K7 1270 Aberdeen Street



Purchase Order Date 4/10/12

VALUE B221 AMS 4160 OR ASTM B211 OR OR QQ-A-200/8 OR AMS-QQ-A-200/8 OR OR AMS 4117/4128/4115/4116 AS PER QQ-A-225/8 OR AMS-QQ-A-225/8 T6/T651/T6510/6511T62 ALUMINUM BAR MATERIAL: 6061-Special Inst: 3/16/11/2 22 χçs \$204.00 \$10.5000 Yours ppd 48.00 4/13/15 6061T6 BAR .750 X 6.00 M6061T6B0.750X06.000 OR ASTM A240 OR ASME SA240 AMS 5524 (316) AS MIL-S-5059 OR AMS 5513 (304) OR **VANNEALED 2B FINISH** MATERIAL: AISI 304/316 SS SHEET Special Inst: Yes \$793.04 Yours ppd 8740.E\$ 256.00 4/13/15 304/316.040 Sheet M304S20GM OR ASTM A240 OR ASME SA240 (315) ASS SMA AS MIL-S-5059 OR AMS 5513 (304) OR ANNEALED 2B FINISH MATERIAL: AISI 304/316 SS SHEET Special Inst: Χes bqq sruoY 00.48 \$6.529\$ \$087.6\$ 4/13/15 304/316 0.125 Sheet M304SHGA Destination-Collect M 12/58 **EOB** CAD Currency Net 30 Terms Vendor Account Nbr 10127-2607 Tax Resale Nbr EE06 8EL 506 Vendor Fax Requisition Nbr ******** 509 506 Acudor Phone Chantal Lavoie Buyer Confact Name ¥⊃ TORONTO, ON M5W 5V8 O/A VPK METAL- C/O T27540/PO BOX 4275,POSTAL"A" THYSSENKRUPP MATERIALS CA LTD VC-COP001 Order From: Page Number 2 of 3 PO Print Date 4/10/12

Certification required when applicable Certificate of Conformity or Material consent. No substitution or deviation without

\$6.4200

91757\$

Change Date: 4/10/12

Yes

71/81/17

6061-T6 Bar 1.00 x 4.00

Сиянде дрг:

ξ

We0e116B1.000X04.000

خاشرع

PURCHASE ORDER

Purchase Order ID PO16666

Purchase Order Date 4/10/12

Fax: 613 632 1053 Tel: 613 632 9577 Hawkesbury, ON K6A 1K7 1270 Aberdeen Street Dart Aerospace Ltd.



PO Print Date 4/10/12

YZZI MLSA AMS 4160 OR ASTM B211 OR OR QQ-A-200/8 OR AMS-QQ-A-200/8 OR OR AMS 4117/4128/4115/4116 AS PER QQ-A-225/8 OR AMS-QQ-A-225/8 T6/T651/T6510/6511T62 ALUMINUM BAR MATERIAL: 6061-Special Inst: Yes 00.901\$ L917.7\$ Yours ppd 00.45 71/81/15 22.1 x 02.1 as a 3T-1303 M6061T6B1.500X01.250 ASTM B221 AMS 4160 OR ASTM B211 OR OR QQ-A-200/8 OR AMS-QQ-A-200/8 OR OR AMS 4117/4128/4115/4116 AS PER QQ-A-225/8 OR AMS-QQ-A-225/8 T6/T651/T6510/6511T62 ALUMINUM BAR MATERIAL: 6061-Special Inst: حنازع Destination-Collect **EOB** CAD Currency Net 30 Vendor Account Vbr Terms 10127-2607 Tax Resale Nbr 505 738 9033 Acador Fax Requisition Nbr ttt6 699 S06 Vendor Phone Chantal Lavoie Buyer Contact Name $\forall \supset$ TORONTO, ON MSW 5V8 O/A VPK METAL- C/O T27540/PO BOX 4275,POSTAL"A" THYSSENKRUPP MATERIALS CA LTD AC-COb001 Order From: Page Number 3 of 3

0001.25\$

Yours ppd

MATERIAL: 17-4 PH SS BAR AS PER

71/21/17

= 100 K2IMINIMOM VIELD TENDILE STRENGTH BVK GRAIN MUST BE ALONG LENGTH OF E495/4095 SMA

STRENGTH = 150 KSI MINIMUM ULTIMATE TENSILE

21.002,58

0+.248\$

PO Total:

Certificate of Conformity or Material No substitution or deviation without

Certification required when applicable

Change Date: 71/01/17

Срапде Ирг:

Special Inst:

17-4 SS Bar 1.250 x 2.00

ξ

ASBATTER HULLO COES

049

M174B1.250X02.000